

FAMILY

Hinged-arm awnings

CLASSIC - DESIGN - COMPACT









Just enjoy life!






CONTENTS







5







FAMILY SYSTEM in detail 15 FITTING/SECTIONAL VIEWS 16 - 17 TECHNICAL DATA 18 FRAME COLOURS 19 **AWNING FABRICS** 19



22 FRAME COLOURS AT NO EXTRA CHARGE!





SUNNY DAYS



The art of enjoying everyday life and the freedom of living outdoors are a genuine pleasure with a Lewens awning. Whether your preference is for peace and relaxation, romantic togetherness, the lively tempo of family life in the fresh air or a barbecue with friends, outdoor living under the awning is simply easier.


4

THE FAMILY SYSTEM

FAMILY hinged-arm awnings offer the ideal shading solution for patios and balconies. With variable widths that are centimetre-accurate up to 700 cm (1950 cm when linked) and a maximum drop of up to 400 cm, they can be used virtually anywhere. Lewens awnings excel in terms of quality and are easy to install, with clean lines and a variety of optional features.

The FAMILY series is the classic Lewens system with proven **support tube technology**, boasting sturdy Lewens quality, easy operation and a range of installation options.

Choose your favourite model:



FAMILY CLASSIC



The classic type in our FAMILY series. Its hallmark is the **characteristic valance**.

Suitable for large areas with a max. width of 700 cm and 400 cm drop.*

The optional Vario Valance offers variable shade from the sun and privacy.

Read more on page 6.

FAMILY **DESIGN**



Adds a subtle hint of fashion. Its characteristic feature is the elegant **designer front profile**.

Suitable for large areas with a max. width of 700 cm and 400 cm drop.*

The XXL arms option permits a large drop with particularly narrow awnings.

Read more on page 8.

FAMILY COMPACT



Combines the protective function of a cassette awning with the proven support tube technology of the FAMILY series. It is characterised by its **compact cassette dimensions**.

Suitable for medium-sized areas with a max. width of 650 cm and 350 cm drop.*

Read more on page 10.







OPEN TYPE

On the basic FAMILY CLASSIC type, the awning fabric roller is exposed or "open". Round end caps at the sides and the fabric cover shell on the front of the fabric roller give the awning a harmonious appearance.








RAIN COVER TYPE

The **protective cover** on the family classic RAIN COVER type protects the awning when retracted against dust, rain and other effects of the weather.



Family Classic - Open type



Equipped with a **protective cover and back plate**, the ENCASED model of the FAMILY CLASSIC provides secure allround protection for the fabric roller.

The side caps are of the same design as for the RAIN COVER type.












The clear-cut design of the front profile gives the FAMILY DESIGN its characteristic modern shape.

OPEN TYPE

On the basic FAMILY DESIGN type, the awning fabric roller is exposed or "open". Round end caps at the sides and the fabric cover shell on the front of the fabric roller give the awning a harmonious appearance.







RAIN COVER TYPE

The protective cover on the FAMILY DESIGN RAIN COVER type protects the awning when retracted against dust, rain and other effects of the weather.



Family Design - Rain Cover type



Equipped with a protective cover and back plate, the ENCASED type of the FAMILY DESIGN provides secure all-round protection for the awning roller.











inally,
time to relax
properly.

Sometimes you get the feeling that time stands still, that inside and outside are in perfect harmony – especially when you are enjoying nature and the garden from the shade of your awning and focusing on the important things in life: reading novels, daydreaming and recharging your batteries.

The distinctive features of our FAMILY COMPACT are its superior quality, ease of operation and high value retention. Whether in **cassette** or **semi-cassette** form, its classic design lends tranquillity to the home and creates a holiday mood.

For even greater comfort you can equip your FAMILY COMPACT with the following **optional features**:

- Radio remote control
 - **Automatic weather monitoring**
- Lighting strip
- Patio heater
- Support legs

More details on page 12 onwards.




The FAMILY COMPACT combines the protective function of a cassette awning with the ease of installation of a support tube awning.

This high-quality cassette awning **fits** snugly against the wall and offers a high degree of comfort and superb technical features.







SEMI-CASSETTE TYPE

The SEMI-CASSETTE type of the FAMILY COMPACT is closed on three sides: the protective cover, base profile and close-fitting front profile protect the awning fabric and mechanism from dust, rain and the effects of the weather when the awning is retracted.




Family Compact

Semi-cassette / Cassette type



Equipped with a unique **protective casing** for the awning roller, the FAMILY COMPACT is transformed into a CASSETTE that is closed on four sides, offering allround protection for the roller.







OPTIONS

FAMILY **DESIGN**



XXL Arms

If only a small width is available for the awning and yet a large drop is required, the FAMILY DESIGN with its **XXL arms** that overlap in two planes is the ideal solution.

Can be supplied for: Open, Rain
 Cover and Encased types

FAMILY CLASSIC



Vario Valance

The Vario Valance offers variable shade from the sun and privacy while retaining the headroom below the awning.

- Delivered as standard with crank operation and covered with acrylic fabric
- Hanging heights: 150 and 200 cm

Features incurring an extra charge:

- Soltis 92 fabric (Hanging height then approx. 160 cm)
- Vario Valance with radio control motor (Only on awning with radio control motor; hanging height then 150 cm in acrylic and 160 cm in Soltis 92)

(Cannot be used in combination with patio heater and/or Lewens-Matik.)

Lewens-Matik

An additional gear mechanism enables the awning pitch to be adjusted smoothly from 5° to 52° to adapt it to the position of the sun.


Can be supplied for: Open, Rain
 Cover and Encased types up to max.
 600 cm width and max.
 350 cm drop).

(Cannot be used in combination with lighting strip, Vario Valance and/or patio heater.)

OPTIONS

ALL MODELS






The lighting strip (halogen lamps) provides suitable illumination and creates a pleasant ambience on the patio or balcony.


- Includes transformer and 300 cm of
- Supplied in the awning frame colour
- Optional: dimmer function and/or control via hand-held transmitter

(Cannot be used in combination with patio heater and/ or Lewens-Matik.)



Patio heater

Provides cosy warmth under the awning, even on chilly days.



Optional: control via hand-held trans-

(Cannot be used in combination with sun and wind sensor.)



Support legs

The awning can be optionally fitted with support legs for greater stability and windresistance.



- incl. base plate and connector for front profile
- leg and base plate in silver, connector in frame colour

(Cannot be used in combination with sun and wind



Radio remote control, automatic weather monitoring

With the radio remote control, all radiocontrolled electrical components can be conveniently operated using a single controller, eliminating annoying control cabling on the wall. The sun and wind sensor gauges the sun and wind - and the awning is extended and retracted automatically!

quality **Somfy** power components.





when the sun is low in the sky ...



and after sundown the lighting strip creates a party atmosphere!




Bask in a cosy glow even on cool days with the patio heater ...




With support legs the awning can withstand light breezes too.



Why get up? The remote control is always to hand.





The perfect complement to your FAMILY awning:

The MICRO 700 side screen awning turns your patio, balcony or loggia into your refuge. You enjoy privacy and protection from the sun and wind as well as a holiday atmosphere!

- Unit height: max. 250 cm *
- Extension: max. 400 cm (depending on height and fabric) *
- Manual operation
- Includes post and wall mounting bracket; other brackets possible (extra charge)
- Frame colours: as for FAMILY awnings
- Fabrics: acrylic and Soltis 92 from our Lewens collection

Simply extend the MICRO 700 using the handle and hook it onto the post. The bottom castor permits easy movement. – The awning shaft is fitted with an anti-kickback brake for safe, convenient operation.

The fabric for the MICRO 700 can be perfectly coordinated to complement your awning.

You can find further information in the MICRO 700 individual brochure.



FAMILY SYSTEM

All FAMILY models are sturdy, long-lasting, quality awnings incorporating outstanding technical features, the best materials and meticulous workmanship:

- Front profile with double hollow chamber and integral rain gutter
- 40 x 40 x 2 mm console tube, galvanised and powder-coated
- Rust-resistant pins, Teflon-coated bearings, high-grade steel screws



Central hinged arm joint

In the central hinged arm joints, a plastic sheath prevents soiling and corrosion of the double cable and extends its service life. All double cables are lubricated for improved running and reduced friction.

The hinge pins are manufactured from rust-resistant high-grade steel.



Arm bracket, support tube and end cap





Arm bracket

of high-strength aluminium alloy, upper arm fork of forged aluminium.

The arm brackets of the FAMILY CLASSIC and FAMILY DESIGN (top picture) are matched to the contours of the fabric cover shell. The arm brackets of the FAMILY COMPACT (bottom picture) are additionally fitted with a support and high-impact screw.



Arm hinges: uniform colour down to the last detail

Front profile bracket

Front profile bracket

The front profile bracket connects the arms securely to the front profile and permits easy adjustment of the angle.



Front profile bracket and front profile



The extremely high spring tension of the hinged arms guarantees a superbly taut sit of the fabric and largely prevents the awning fabric from resting on the arm hinges.










FITTING

FAMILY CLASSIC

OPEN type










Wall






RAIN COVER type / ENCASED type (no pic.)









OPEN type










Wall

Ceiling




RAIN COVER type / ENCASED type (no pic.)






FAMILY COMPACT


SEMI-CASSETTE type










Ceiling





CASSETTE type















TECHNICAL DATA

MODEL	FAMILY CLASSIC	FAMILY DESIGN	FAMILY COMPACT
TYPE	OPEN – RAIN COVER – ENCASED	OPEN – RAIN COVER – ENCASED	SEMI-CASSETTE - CASSETTE
Width 1 unit	 max. 650 cm (up to max. 400 cm arm length, with 2 arms) max. 700 cm (up to max. 350 cm arm length, with 3 arms) NB: Other widths for Family Classic with Vario Valance! 		max. 650 cm
Linked systems	from 701 cm system width (with slit cover)		from 651 cm system width (with slit cover)
- Width 2 units	max. 1300 cm (linked system)		
- Width 3 units	max. 1950 cm (linked system)		
Drops (possible arm lengths)	150 / 200 / 250 / 300 / 350 / 400 cm Special arm lengths possible (extra charge)		150 / 200 / 250 / 300 / 350 cm Special arm lengths possible (extra charge)

Centimetre-accurate manufacture in all intermediate widths!

	ochtimetre accurate	manufacture in all intermediate wit	dtilo.
Drive	Motor drive (electric motor), crank drive (bevel gear) possible on request (reduced price)		
Scope of supply, attachment	incl. wall consoles for concrete B25 C20/25 (for anchor bolts: FAZ II M12)		
Frame colours	 16 RAL colours and 5 textured finishes to choose from (see LEWENS price list for colour chart) natural silver: E6/EV 1 anodized; small components silver RAL 9006 special RAL (extra charge) special colours and effect finishes on request 		
Awning fabrics	 from our LEWENS collection branded acrylic, spun-dyed, ultra fade resistant branded polyester, spun-dyed (extra charge) Tenara quality sewing yarn 		
Valance	supplied as standard with valance standard height 20 cm	 supplied as standard without valance valance possible (extra charge) XXL: always supplied with valance (height 27 cm) 	supplied as standard without valance valance possible (extra charge)
Optional features (additional equipment)	 Radio remote control / electric motor with integral radio control Sun/wind/rain monitoring Lighting strip (not with 4. and 7.) Patio heater (not with 3., 6. and 7.) Support legs Vario Valance (not with 4. and 7.) for systems up to 600 x 350 cm in 150 and 200 cm height (Vario Valance in 200 cm valance height can only be supplied with gear) LEWENS-Matik (not with 3., 5. and 6.) up to max. 600 cm width and 350 cm drop 	 Radio remote control / electric motor with integral radio control Sun/wind/rain monitoring Lighting strip (not with 4.) Patio heater (not with 3.) Support legs 	 Radio remote control / electric motor with integral radio control Sun/wind/rain monitoring Lighting strip (not with 4.) Patio heater (not with 3.) Support legs

Please refer to technical data in the current Lewens price list for possible dimensions and restrictions and for the complete list of electronic accessories.

CERTIFICATION







TÜV-approved quality and CE Standard: Look for the seal and the mark that guarantee the technical safety of our products.

Branded goods from Germany: Lewens awnings are manufactured and assembled in Germany – quality "made in Germany"!

FRAME COLOURS

Lewens offers a wide range of standard frame colours at no extra charge for all awning models (exception: Economy):

- 16 RAL colours (see below)
- 5 textured finishes (see below)
- natural silver (see below)

074	VIDADD DAL	
STAL	NDARD RAL	
	1015	Light ivory
	3002	Carmine red
	3003	Ruby red
	3004	Purple red
	5002	Ultramarine blue
	5005	Signal blue
	6005	Moss green
	6009	Fir green
	7016	Anthracite grey
	7024	Graphite grey
	8019	Grey brown
	8077	Dark brown
	9001	Cream
	9006	White aluminium
	9010	Pure white
	9016	Traffic white
STAI	NDARD TEXT	URED FINISHES
	Textured finish RAL 7016	Anthracite grey, fine texture, matt
	Textured finish RAL 9005	Jet black, fine texture, matt
	Textured finish SL 92	Terra / brown
	Textured finish SL 93	Grey / marble
	Textured finish SL 94	DB 703 fine texture
NAT	URAL SILVER	₹
	E6/EV1	Silver anodized, small components silver RAL 9006 powder-coated

SPECIAL COLOURS				
Special RAL (please see current Lewens price list for selection)	Extra charge			
Special colours and effect finishes: - all non-listed RAL colours - fine and coarse texture - metallic finishes - pearlescent/glimmer-effect finishes - NCS colours	On request			

AWNING FABRICS



With more than 300 samples to choose from, the Lewens collection offers you acrylic and polyester fabrics and also air-permeable screen and Soltis woven fabrics across the entire colour spectrum.

Lewens awning fabrics have been created especially to provide shade outdoors and are treated to make them water- and dirtrepellent. We make the awnings up using the latest sewing techniques for distortion-free seams and also ultrasonic bonding. We have designed our manufacturing facility so that the awning fabrics can be laid out entirely flat (not folded) for making up.

Some of our quality features:

- Secure lockstitch used for making up, optionally also with ultrasonically bonded seam (surcharge).
- Awning and valance are produced from one piece (identical repeat pattern)
- Seams on top and bottom and valance seam neatened (clean completion)
- Repeat-symmetrical completion left and right
- Use of Tenara® quality sewing yarn (also for valances)

No matter which fabric you choose from the Lewens collection, top-class fabrics, high-quality materials and a modern assembly method will guarantee you many years of pleasure from your awning.

VALANCE STYLES



- 1 No extra charge on Family Classic
- - 2 No extra charge on Family Classic
- 3 Extra charge always applies



Extra charge always applies



GUARANTEE



Advanced technology, high-quality materials and outstanding workmanship in manufacturing guarantee that quality products from Lewens will give reliable operation and pleasure for many years.

Beyond the implied warranty, Lewens offers an extraordinary long-term guarantee for its sunshade systems via its specialist contractors:

- 5-year guarantee on all parts of sunshade systems from Lewens
- 2-year guarantee on motors, electric control systems and coatings on awning frames

You can find details of the guarantee scope and services in the current Lewens price list. Please ask your dealer for a copy.



UST FOR LIFE

means being able to enjoy the summer outdoors without fear of sunburn, well protected against the heat and glare. Lewens awnings don't just provide shade, they are capable of more: they help us to enjoy the best aspects of



NTELLIGENCE

isn't just in the head. Sometimes it is to be found elsewhere, in the technical details and workmanship of high-quality Lewens awnings - so that you, the user, can operate our products without any problems and can find a suitable solution for any task.



REEDOM

always has something to do with freedom of choice. Whether it's an awning for a small balcony or large patio or solutions for your conservatory that you need, Lewens specialist dealers provide professional advice and assembly. They are also happy to help you choose the colours and fabrics – so that you are entirely satisfied with every aspect of your awning!



C. ASY LIVING

is now more in demand than ever. Everyday life is stressful enough, the world turns ever faster and the pace of news quickens. It's good to have time to unwind and be able to relax with family and friends. It is precisely for these valuable occasions that we have created our awnings.





Your stockist will be happy to advise you:

enjoy life!

www.lewens-markisen.de